

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1. (currently amended) An ophthalmic solution comprising ~~[[0.005]]~~ 0.001 to 0.01 % (W/V) latanoprost as an active ingredient, wherein the latanoprost is stabilized to be stored at room temperature by ~~at least one means selected from the following~~ ~~[[1)]]~~ and ~~[[2):]]~~

- 1) adjusting the pH of the solution to 5.0 to 6.25 and
- 2) ~~adding~~ ~~[[ε-]]~~ ~~aminocaproic acid to the solution.~~

Claims 2 to 4. (canceled)

Claim 5. (new) The ophthalmic solution as claimed in claim 1, wherein the latanoprost is in a concentration of 0.005% (W/V).

Claim 6. (new) An ophthalmic solution comprising 0.001 to 0.01% (W/V) latanoprost as an active ingredient, wherein the

latanoprost is stabilized to be stored at room temperature by adding ϵ -aminocaproic acid to the solution.

Claim 7. (new) The ophthalmic solution as claimed in claim 6, wherein the latanoprost is in a concentration of 0.005% (W/V).

Claim 8. (new) The ophthalmic solution as claimed in claim 6, wherein the ϵ -aminocaproic acid is in a concentration of 0.1 to 2% (W/V).

Claim 9. (new) The ophthalmic solution as claimed in claim 7, wherein the ϵ -aminocaproic acid is in a concentration of 0.1 to 2% (W/V).

Claim 10. (new) The ophthalmic solution as claimed in claim 6, wherein the ϵ -aminocaproic acid is in a concentration of 1% (W/V).

Claim 11. (new) The ophthalmic solution as claimed in claim 7, wherein the ϵ -aminocaproic acid is in a concentration of 1% (W/V).

Claim 12. (new) An ophthalmic solution comprising 0.001 to 0.01% (W/V) latanoprost as an active ingredient, wherein the latanoprost is stabilized to be stored at room temperature by adjusting the pH of the solution to 5.0 to 6.25 and adding ϵ -aminocaproic acid to the solution.

Claim 13. (new) The ophthalmic solution as claimed in claim 17, wherein the latanoprost is in a concentration of 0.005% (W/V).

Claim 14. (new) The ophthalmic solution as claimed in claim 12, wherein the ϵ -aminocaproic acid is in a concentration of 0.1 to 2% (W/V).

Claim 15. (new) The ophthalmic solution as claimed in claim 13, wherein the ϵ -aminocaproic acid is in a concentration of 0.1

to 2% (W/V).

Claim 16. (new) The ophthalmic solution as claimed in claim 12, wherein the ϵ -aminocaproic acid is in a concentration of 1% (W/V).

Claim 17. (new) The ophthalmic solution as claimed in claim 17, wherein the ϵ -aminocaproic acid is in a concentration of 1% (W/V).